

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

6 NSW-ARI-150:NSW-ARI
6 NSW-ARI-150:NSW-ARI
6 NSW-ARI-150:NSW-ARI
6 NSW-ARI-150:NSW-ARI
6 NSW-ARI-150:NSW-ARI
6 NSW-ARI-150:NSW-ARI
6 NSW-ARI-150:NSW-ARI
6 NSW-ARI-150:NSW-ARI
6 NSW-ARI-150:NSW-ARI
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FW-012-1508 FW-012
6 FWS-ARP2-15 FWS-ARP2
6 FWS-ARP2-15 FWS-ARP2
6 FWS-ARP2-15 FWS-ARP2
6 FWS-ARP2-15 FWS-ARP2
6 FWS-ARP2-15 FWS-ARP2
6 FWS-ARP2-15 FWS-ARP2
6 FWS-ARP2-15 FWS-ARP2
6 FWS-ARP2-15 FWS-ARP2
6 FWS-ARP2-15 FWS-ARP2
6 FWS-ARP2-15 FWS-ARP2
6 FWS-ARP2-15 FWS-ARP2
6 FWS-ARP2-15 FWS-ARP2
6 FWS-ARP2-15 FWS-ARP2
6 FWS-ARP2-15 FWS-ARP2

[illegible]

6 MWSS-ARI-15MWSS-ARI
6 MWSS-ARI-15MWSS-ARI
6 MWSS-ARI-15MWSS-ARI
6 MWSS-ARI-15MWSS-ARI
6 MWSS-ARI-15MWSS-ARI
6 MWSS-ARI-15MWSS-ARI
6 MWSS-ARI-15MWSS-ARI
6 MWSS-ARI-15MWSS-ARI
6 MWSS-ARI-15MWSS-ARI
6 MWSS-ARI-15MWSS-ARI
6 MWSS-ARI-15MWSS-ARI
6 MWSS-ARI-15MWSS-ARI
6 MWSS-ARI-15MWSS-ARI
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FW-040-1508 FW-040
6 FWS-FDPS-15FWS-FDPS
6 FWS-FDPS-15FWS-FDPS
6 FWS-FDPS-15FWS-FDPS
6 FWS-FDPS-15FWS-FDPS
6 FWS-FDPS-15FWS-FDPS
6 FWS-FDPS-15FWS-FDPS

[illegible]

[illegible]

[illegible]

Lab Matrix	Analysis	Analyte	Result	Result - ND=DL
Water	ICPMS Diss. Metals	Antimony		0.5
Water	ICPMS Diss. Metals	Arsenic		0.5
Water	ICPMS Diss. Metals	Barium	28.3	28.3
Water	ICPMS Diss. Metals	Cadmium	0.344	0.344
Water	ICPMS Diss. Metals	Chromium		1
Water	ICPMS Diss. Metals	Cobalt	1.73	1.73
Water	ICPMS Diss. Metals	Copper	2.44	2.44
Water	ICPMS Diss. Metals	Lead		0.1
Water	ICPMS Diss. Metals	Molybdenum		1
Water	ICPMS Diss. Metals	Nickel		0.5
Water	ICPMS Diss. Metals	Selenium		1
Water	ICPMS Diss. Metals	Silver		0.5
Water	ICPMS Diss. Metals	Thallium		0.5
Water	ICPMS Diss. Metals	Vanadium		2
Water	ICPOE Diss. Metals	Aluminum	45	45
Water	ICPOE Diss. Metals	Beryllium		2
Water	ICPOE Diss. Metals	Calcium	35200	35200
Water	ICPOE Diss. Metals	Iron		100
Water	ICPOE Diss. Metals	Magnesium	4380	4380
Water	ICPOE Diss. Metals	Manganese	444	444
Water	ICPOE Diss. Metals	Potassium	687	687
Water	ICPOE Diss. Metals	Sodium	2170	2170
Water	ICPOE Diss. Metals	Zinc	61.5	61.5
Water	200.7 Metals (ICP)	Aluminum	66	66
Water	200.7 Metals (ICP)	Calcium	60000	60000
Water	200.7 Metals (ICP)	Iron	17	17
Water	200.7 Metals (ICP)	Magnesium	7800	7800
Water	200.7 Metals (ICP)	Potassium	2100	2100
Water	200.7 Metals (ICP)	Sodium	10000	10000
Water	200.8 Metals (ICP/M Antimony		0.4	0.4
Water	200.8 Metals (ICP/M Arsenic		0.37	0.37
Water	200.8 Metals (ICP/M Barium		43	43
Water	200.8 Metals (ICP/M Beryllium		0.15	0.15
Water	200.8 Metals (ICP/M Cadmium		0.054	0.054
Water	200.8 Metals (ICP/M Chromium		1	1
Water	200.8 Metals (ICP/M Cobalt		0.2	0.2
Water	200.8 Metals (ICP/M Copper		2.5	2.5
Water	200.8 Metals (ICP/M Lead		0.32	0.32
Water	200.8 Metals (ICP/M Manganese		61	61
Water	200.8 Metals (ICP/M Molybdenum		0.94	0.94
Water	200.8 Metals (ICP/M Nickel		1	1
Water	200.8 Metals (ICP/M Selenium		0.58	0.58
Water	200.8 Metals (ICP/M Silver		0.1	0.1
Water	200.8 Metals (ICP/M Thallium		0.1	0.1

Water	200.8 Metals (ICP/M Vanadium	0.3	0.3
Water	200.8 Metals (ICP/M Zinc	9.7	9.7
Water	245.1 Mercury (CVA/Mercury	0.08	0.08
Water	200.7 Metals (ICP) Aluminum	72	72
Water	200.7 Metals (ICP) Calcium	43000	43000
Water	200.7 Metals (ICP) Iron	17	17
Water	200.7 Metals (ICP) Magnesium	4500	4500
Water	200.7 Metals (ICP) Potassium	770	770
Water	200.7 Metals (ICP) Sodium	2200	2200
Water	200.8 Metals (ICP/M Antimony	0.4	0.4
Water	200.8 Metals (ICP/M Arsenic	0.4	0.4
Water	200.8 Metals (ICP/M Barium	30	30
Water	200.8 Metals (ICP/M Beryllium	0.15	0.15
Water	200.8 Metals (ICP/M Cadmium	0.53	0.53
Water	200.8 Metals (ICP/M Chromium	1	1
Water	200.8 Metals (ICP/M Cobalt	1.8	1.8
Water	200.8 Metals (ICP/M Copper	3	3
Water	200.8 Metals (ICP/M Lead	0.16	0.16
Water	200.8 Metals (ICP/M Manganese	420	420
Water	200.8 Metals (ICP/M Molybdenum	0.61	0.61
Water	200.8 Metals (ICP/M Nickel	1.9	1.9
Water	200.8 Metals (ICP/M Selenium	0.58	0.58
Water	200.8 Metals (ICP/M Silver	0.1	0.1
Water	200.8 Metals (ICP/M Thallium	0.1	0.1
Water	200.8 Metals (ICP/M Vanadium	0.3	0.3
Water	200.8 Metals (ICP/M Zinc	120	120
Water	245.1 Mercury (CVA/Mercury	0.08	0.08
Water	200.7 Metals (ICP) Aluminum	34	34
Water	200.7 Metals (ICP) Calcium	64000	64000
Water	200.7 Metals (ICP) Iron	17	17
Water	200.7 Metals (ICP) Magnesium	7900	7900
Water	200.7 Metals (ICP) Potassium	2200	2200
Water	200.7 Metals (ICP) Sodium	11000	11000
Water	200.8 Metals (ICP/M Antimony	0.4	0.4
Water	200.8 Metals (ICP/M Arsenic	0.37	0.37
Water	200.8 Metals (ICP/M Barium	45	45
Water	200.8 Metals (ICP/M Beryllium	0.15	0.15
Water	200.8 Metals (ICP/M Cadmium	0.19	0.19
Water	200.8 Metals (ICP/M Chromium	1	1
Water	200.8 Metals (ICP/M Cobalt	0.41	0.41
Water	200.8 Metals (ICP/M Copper	1.9	1.9
Water	200.8 Metals (ICP/M Lead	0.38	0.38
Water	200.8 Metals (ICP/M Manganese	130	130
Water	200.8 Metals (ICP/M Molybdenum	0.97	0.97
Water	200.8 Metals (ICP/M Nickel	1.4	1.4

Water	200.8 Metals (ICP/M Selenium	0.58	0.58
Water	200.8 Metals (ICP/M Silver	0.1	0.1
Water	200.8 Metals (ICP/M Thallium	0.1	0.1
Water	200.8 Metals (ICP/M Vanadium	0.3	0.3
Water	200.8 Metals (ICP/M Zinc	60	60
Water	245.1 Mercury (CVA/Mercury	0.08	0.08
Water	200.7 Metals (ICP) Aluminum	46	46
Water	200.7 Metals (ICP) Calcium	60000	60000
Water	200.7 Metals (ICP) Iron	17	17
Water	200.7 Metals (ICP) Magnesium	7500	7500
Water	200.7 Metals (ICP) Potassium	2000	2000
Water	200.7 Metals (ICP) Sodium	10000	10000
Water	200.8 Metals (ICP/M Antimony	0.4	0.4
Water	200.8 Metals (ICP/M Arsenic	0.37	0.37
Water	200.8 Metals (ICP/M Barium	42	42
Water	200.8 Metals (ICP/M Beryllium	0.15	0.15
Water	200.8 Metals (ICP/M Cadmium	0.11	0.11
Water	200.8 Metals (ICP/M Chromium	1	1
Water	200.8 Metals (ICP/M Cobalt	0.37	0.37
Water	200.8 Metals (ICP/M Copper	1.4	1.4
Water	200.8 Metals (ICP/M Lead	0.083	0.083
Water	200.8 Metals (ICP/M Manganese	97	97
Water	200.8 Metals (ICP/M Molybdenum	0.81	0.81
Water	200.8 Metals (ICP/M Nickel	1.3	1.3
Water	200.8 Metals (ICP/M Selenium	0.58	0.58
Water	200.8 Metals (ICP/M Silver	0.1	0.1
Water	200.8 Metals (ICP/M Thallium	0.1	0.1
Water	200.8 Metals (ICP/M Vanadium	0.3	0.3
Water	200.8 Metals (ICP/M Zinc	31	31
Water	245.1 Mercury (CVA/Mercury	0.08	0.08
Water	200.7 Metals (ICP) Aluminum	35000	35000
Water	200.7 Metals (ICP) Calcium	380000	380000
Water	200.7 Metals (ICP) Iron	120000	120000
Water	200.7 Metals (ICP) Magnesium	33000	33000
Water	200.7 Metals (ICP) Potassium	2700	2700
Water	200.7 Metals (ICP) Sodium	3900	3900
Water	200.8 Metals (ICP/M Antimony	0.5	0.5
Water	200.8 Metals (ICP/M Arsenic	3.7	3.7
Water	200.8 Metals (ICP/M Barium	8.9	8.9
Water	200.8 Metals (ICP/M Beryllium	11	11
Water	200.8 Metals (ICP/M Cadmium	65	65
Water	200.8 Metals (ICP/M Chromium	2.7	2.7
Water	200.8 Metals (ICP/M Cobalt	110	110
Water	200.8 Metals (ICP/M Copper	6000	6000
Water	200.8 Metals (ICP/M Lead	32	32

Water	200.8 Metals (ICP/M Manganese	33000	33000
Water	200.8 Metals (ICP/M Molybdenum	0.84	0.84
Water	200.8 Metals (ICP/M Nickel	72	72
Water	200.8 Metals (ICP/M Selenium	1.7	1.7
Water	200.8 Metals (ICP/M Silver	0.1	0.1
Water	200.8 Metals (ICP/M Thallium	0.32	0.32
Water	200.8 Metals (ICP/M Vanadium	2	2
Water	200.8 Metals (ICP/M Zinc	25000	25000
Water	ICPMS Diss. Metals Antimony		0.5
Water	ICPMS Diss. Metals Arsenic		0.5
Water	ICPMS Diss. Metals Barium	38.1	38.1
Water	ICPMS Diss. Metals Cadmium	2.93	2.93
Water	ICPMS Diss. Metals Chromium		1
Water	ICPMS Diss. Metals Cobalt	4.79	4.79
Water	ICPMS Diss. Metals Copper	2.91	2.91
Water	ICPMS Diss. Metals Lead		0.1
Water	ICPMS Diss. Metals Molybdenum		1
Water	ICPMS Diss. Metals Nickel	2.97	2.97
Water	ICPMS Diss. Metals Selenium		1
Water	ICPMS Diss. Metals Silver		0.5
Water	ICPMS Diss. Metals Thallium		0.5
Water	ICPMS Diss. Metals Vanadium		2
Water	ICPOE Diss. Metals Aluminum		20
Water	ICPOE Diss. Metals Beryllium		2
Water	ICPOE Diss. Metals Calcium	48900	48900
Water	ICPOE Diss. Metals Iron		100
Water	ICPOE Diss. Metals Magnesium	5040	5040
Water	ICPOE Diss. Metals Manganese	1620	1620
Water	ICPOE Diss. Metals Potassium	1370	1370
Water	ICPOE Diss. Metals Sodium	3290	3290
Water	ICPOE Diss. Metals Zinc	804	804
Water	200.7 Metals (ICP) Potassium	2300	2300
Water	200.7 Metals (ICP) Sodium	120000	120000
Water	200.8 Metals (ICP/M Nickel	58	58
Water	200.8 Metals (ICP/M Selenium	0.58	0.58
Water	200.8 Metals (ICP/M Silver	0.1	0.1
Water	200.8 Metals (ICP/M Thallium	0.25	0.25
Water	200.8 Metals (ICP/M Vanadium	0.3	0.3
Water	245.1 Mercury (CVA/Mercury	0.08	0.08
	Aluminum	41	41
	Antimony	0.07	0.07
	Arsenic	0.5	0.5
	Barium	75	75
	Beryllium	0.02	0.02
	Cadmium	0.03	0.03

Calcium	59100	59100
Chromium	3.6	3.6
Cobalt	0.1	0.1
Copper	1.4	1.4
Iron	3	3
Lead	0.06	0.06
Magnesium	9160	9160
Manganese	29	29
Mercury	0.07	0.07
Molybdenum	1.2	1.2
Nickel	2.2	2.2
Potassium	2330	2330
Selenium	0.6	0.6
Silver	0.03	0.03
Sodium	16000	16000
Thallium	0.1	0.1
Vanadium	1.2	1.2
Zinc	26	26
Aluminum	44	44
Antimony	0.07	0.07
Arsenic	0.6	0.6
Barium	69.8	69.8
Beryllium	0.02	0.02
Cadmium	0.02	0.02
Calcium	62000	62000
Chromium	3.5	3.5
Cobalt	0.2	0.2
Copper	1.4	1.4
Iron	3	3
Lead	0.05	0.05
Magnesium	9580	9580
Manganese	36	36
Mercury	0.03	0.03
Molybdenum	1.2	1.2
Nickel	2.1	2.1
Potassium	2540	2540
Selenium	0.7	0.7
Silver	0.03	0.03
Sodium	19800	19800
Thallium	0.1	0.1
Vanadium	1.4	1.4
Zinc	27	27
Aluminum	51	51
Antimony	0.4	0.4
Arsenic	0.37	0.37

Barium	62	62
Beryllium	0.15	0.15
Cadmium	0.043	0.043
Calcium	60000	60000
Chromium	1	1
Cobalt	0.13	0.13
Copper	3	3
Iron	20	20
Lead	0.61	0.61
Magnesium	8700	8700
Manganese	19	19
Mercury	0.08	0.08
Molybdenum	1.2	1.2
Nickel	1.9	1.9
Potassium	2300	2300
Selenium	0.58	0.58
Silver	0.1	0.1
Sodium	15000	15000
Thallium	0.1	0.1
Vanadium	0.3	0.3
Zinc	5.4	5.4
Aluminum	36	36
Antimony	0.4	0.4
Arsenic	0.37	0.37
Barium	62	62
Beryllium	0.15	0.15
Cadmium	0.043	0.043
Calcium	61000	61000
Chromium	1	1
Cobalt	0.12	0.12
Copper	2.7	2.7
Iron	17	17
Lead	0.18	0.18
Magnesium	8900	8900
Manganese	13	13
Mercury	0.08	0.08
Molybdenum	1.2	1.2
Nickel	1.2	1.2
Potassium	2300	2300
Selenium	0.58	0.58
Silver	0.1	0.1
Sodium	14000	14000
Thallium	0.1	0.1
Vanadium	0.3	0.3
Zinc	4.6	4.6

Aluminum	39	39
Antimony	0.4	0.4
Arsenic	0.37	0.37
Barium	70	70
Beryllium	0.15	0.15
Cadmium	0.043	0.043
Calcium	65000	65000
Chromium	1	1
Cobalt	0.13	0.13
Copper	2.9	2.9
Iron	17	17
Lead	0.38	0.38
Magnesium	8900	8900
Manganese	19	19
Mercury	0.08	0.08
Molybdenum	1.1	1.1
Nickel	1.3	1.3
Potassium	2300	2300
Selenium	0.58	0.58
Silver	0.1	0.1
Sodium	13000	13000
Thallium	0.1	0.1
Vanadium	0.3	0.3
Zinc	75	75
Aluminum	24	24
Antimony	0	0
Arsenic	0.58	0.58
Barium	49	49
Beryllium	0	0
Cadmium	0	0
Calcium	61000	61000
Chromium	1	1
Cobalt	0	0
Copper	1.3	1.3
Iron	17	17
Lead	0.17	0.17
Magnesium	8100	8100
Manganese	2.9	2.9
Mercury	0	0
Molybdenum	1.5	1.5
Nickel	1.2	1.2
Potassium	2200	2200
Selenium	1	1
Silver	0	0
Sodium	14000	14000

Thallium	0	0
Vanadium	0	0
Zinc	3	3
Aluminum	24	24
Antimony	0	0
Arsenic	0	0
Barium	50	50
Beryllium	0	0
Cadmium	0	0
Calcium	60000	60000
Chromium	1	1
Cobalt	0	0
Copper	1.4	1.4
Iron	17	17
Lead	0.15	0.15
Magnesium	8100	8100
Manganese	3	3
Mercury	0	0
Molybdenum	1.3	1.3
Nickel	1.2	1.2
Potassium	2100	2100
Selenium	1	1
Silver	0	0
Sodium	13000	13000
Thallium	0.15	0.15
Vanadium	0	0
Zinc	3	3
Aluminum	24	24
Antimony	0	0
Arsenic	0.5	0.5
Barium	55	55
Beryllium	0	0
Cadmium	0	0
Calcium	57000	57000
Chromium	1	1
Cobalt	0	0
Copper	1.6	1.6
Iron	17	17
Lead	0.25	0.25
Magnesium	7800	7800
Manganese	5.6	5.6
Mercury	0	0
Molybdenum	1.2	1.2
Nickel	1.3	1.3
Potassium	2300	2300

Selenium	1	1
Silver	0	0
Sodium	13000	13000
Thallium	0	0
Vanadium	0.41	0.41
Zinc	3	3
Aluminum	38	38
Antimony	0.4	0.4
Arsenic	0.38	0.38
Barium	65	65
Beryllium	0.15	0.15
Cadmium	0.043	0.043
Calcium	62000	62000
Chromium	1	1
Cobalt	0.12	0.12
Copper	2.8	2.8
Iron	17	17
Lead	0.14	0.14
Magnesium	8800	8800
Manganese	11	11
Mercury	0.08	0.08
Molybdenum	1.1	1.1
Nickel	1.6	1.6
Potassium	2300	2300
Selenium	0.58	0.58
Silver	0.1	0.1
Sodium	13000	13000
Thallium	0.1	0.1
Vanadium	0.3	0.3
Zinc	3	3
Aluminum	24	24
Antimony	0	0
Arsenic	0.62	0.62
Barium	52	52
Beryllium	0	0
Cadmium	0	0
Calcium	58000	58000
Chromium	1	1
Cobalt	0.12	0.12
Copper	1.5	1.5
Iron	17	17
Lead	0.15	0.15
Magnesium	7900	7900
Manganese	5.4	5.4
Mercury	0	0

Molybdenum	1.3	1.3
Nickel	1.3	1.3
Potassium	2200	2200
Selenium	1	1
Silver	0	0
Sodium	12000	12000
Thallium	0	0
Vanadium	0	0
Zinc	3	3
Aluminum	34	34
Antimony	0.4	0.4
Arsenic	0.37	0.37
Barium	64	64
Beryllium	0.15	0.15
Cadmium	0.043	0.043
Calcium	66000	66000
Chromium	1	1
Cobalt	0.12	0.12
Copper	2.6	2.6
Iron	17	17
Lead	0.13	0.13
Magnesium	8800	8800
Manganese	14	14
Mercury	0.08	0.08
Molybdenum	1.1	1.1
Nickel	1	1
Potassium	2200	2200
Selenium	0.58	0.58
Silver	0.1	0.1
Sodium	16000	16000
Thallium	0.1	0.1
Vanadium	0.3	0.3
Zinc	5.2	5.2
Aluminum	24	24
Antimony	0	0
Arsenic	0.38	0.38
Barium	56	56
Beryllium	0	0
Cadmium	0	0
Calcium	66000	66000
Chromium	1	1
Cobalt	0.12	0.12
Copper	1.4	1.4
Iron	17	17
Lead	0.14	0.14

Magnesium	8300	8300
Manganese	1.7	1.7
Mercury	0	0
Molybdenum	1.7	1.7
Nickel	1.4	1.4
Potassium	2200	2200
Selenium	1	1
Silver	0	0
Sodium	16000	16000
Thallium	0	0
Vanadium	0.37	0.37
Zinc	3	3
Aluminum	41	41
Antimony	0.4	0.4
Arsenic	0.37	0.37
Barium	62	62
Beryllium	0.15	0.15
Cadmium	0.043	0.043
Calcium	64000	64000
Chromium	1	1
Cobalt	0.12	0.12
Copper	2.7	2.7
Iron	17	17
Lead	0.21	0.21
Magnesium	8900	8900
Manganese	12	12
Mercury	0.08	0.08
Molybdenum	1.4	1.4
Nickel	1.3	1.3
Potassium	2300	2300
Selenium	0.58	0.58
Silver	0.1	0.1
Sodium	17000	17000
Thallium	0.1	0.1
Vanadium	0.3	0.3
Zinc	2.8	2.8
Aluminum	24	24
Antimony	0	0
Arsenic	0.52	0.52
Barium	57	57
Beryllium	0	0
Cadmium	0	0
Calcium	67000	67000
Chromium	1	1
Cobalt	0.15	0.15

Copper	1.6	1.6
Iron	17	17
Lead	0.23	0.23
Magnesium	8600	8600
Manganese	4.3	4.3
Mercury	0	0
Molybdenum	1.7	1.7
Nickel	1.9	1.9
Potassium	2200	2200
Selenium	1	1
Silver	0	0
Sodium	16000	16000
Thallium	0	0
Vanadium	0.3	0.3
Zinc	3	3
Aluminum	35	35
Antimony	0.4	0.4
Arsenic	0.43	0.43
Barium	65	65
Beryllium	0.15	0.15
Cadmium	0.043	0.043
Calcium	67000	67000
Chromium	1	1
Cobalt	0.12	0.12
Copper	2.8	2.8
Iron	17	17
Lead	0.22	0.22
Magnesium	8900	8900
Manganese	8.2	8.2
Mercury	0.08	0.08
Molybdenum	1.2	1.2
Nickel	1.2	1.2
Potassium	2200	2200
Selenium	0.58	0.58
Silver	0.1	0.1
Sodium	17000	17000
Thallium	0.1	0.1
Vanadium	0.3	0.3
Zinc	2.8	2.8
Aluminum	24	24
Antimony	0	0
Arsenic	0.76	0.76
Barium	60	60
Beryllium	0	0
Cadmium	0	0

Calcium	66000	66000
Chromium	1	1
Cobalt	0.14	0.14
Copper	1.6	1.6
Iron	17	17
Lead	0.2	0.2
Magnesium	8400	8400
Manganese	1.6	1.6
Mercury	0	0
Molybdenum	1.7	1.7
Nickel	1.8	1.8
Potassium	2200	2200
Selenium	1	1
Silver	0	0
Sodium	16000	16000
Thallium	0	0
Vanadium	0.36	0.36
Zinc	3	3
Aluminum	270	270
Antimony	0	0
Arsenic	0.76	0.76
Barium	70	70
Beryllium	0	0
Cadmium	0	0
Calcium	51000	51000
Chromium	1	1
Cobalt	0.18	0.18
Copper	1.5	1.5
Iron	150	150
Lead	0.36	0.36
Magnesium	6500	6500
Manganese	3.5	3.5
Mercury	0	0
Molybdenum	1.8	1.8
Nickel	1.5	1.5
Potassium	2500	2500
Selenium	1	1
Silver	0	0
Sodium	19000	19000
Thallium	0.15	0.15
Vanadium	0.68	0.68
Zinc	3	3
Aluminum	24	24
Antimony	0.4	0.4
Arsenic	0.91	0.91

Barium	76	76
Beryllium	0.15	0.15
Cadmium	0.043	0.043
Calcium	59000	59000
Chromium	1	1
Cobalt	0.13	0.13
Copper	3.1	3.1
Iron	17	17
Lead	0.06	0.06
Magnesium	7900	7900
Manganese	3.2	3.2
Mercury	0.08	0.08
Molybdenum	1.3	1.3
Nickel	1.3	1.3
Potassium	2500	2500
Selenium	0.58	0.58
Silver	0.1	0.1
Sodium	21000	21000
Thallium	0.1	0.1
Vanadium	0.73	0.73
Zinc	30	30
Aluminum	24	24
Antimony	0.4	0.4
Arsenic	0.46	0.46
Barium	78	78
Beryllium	0.15	0.15
Cadmium	0.043	0.043
Calcium	59000	59000
Chromium	1	1
Cobalt	0.13	0.13
Copper	2.1	2.1
Iron	17	17
Lead	0.06	0.06
Magnesium	7800	7800
Manganese	4.5	4.5
Mercury	0.08	0.08
Molybdenum	1.3	1.3
Nickel	1.2	1.2
Potassium	2400	2400
Selenium	0.58	0.58
Silver	0.1	0.1
Sodium	21000	21000
Thallium	0.1	0.1
Vanadium	0.71	0.71
Zinc	35	35

Aluminum	390	390
Antimony	0	0
Arsenic	0.76	0.76
Barium	81	81
Beryllium	0	0
Cadmium	0	0
Calcium	52000	52000
Chromium	1	1
Cobalt	0.23	0.23
Copper	1.7	1.7
Iron	220	220
Lead	0.5	0.5
Magnesium	6600	6600
Manganese	20	20
Mercury	0	0
Molybdenum	1.8	1.8
Nickel	1.8	1.8
Potassium	2500	2500
Selenium	1	1
Silver	0	0
Sodium	20000	20000
Thallium	0	0
Vanadium	0.73	0.73
Zinc	3	3

Units	Test Type	Detect?
ug/L		N
ug/L		N
ug/L		Y
ug/L		Y
ug/L		N
ug/L		Y
ug/L		Y
ug/L		N
ug/L		N
ug/L		N
ug/L		N
ug/L		N
ug/L		N
ug/L		N
ug/L		Y
ug/L		N
ug/L		Y
ug/L		N
ug/L		Y
ug/L		Y
ug/L		Y
ug/L		Y
ug/L		N
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	N
ug/L	initial	N

ug/L	initial	N
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	N
ug/L	initial	N
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y

[illegible]

ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L		N
ug/L		N
ug/L		Y
ug/L		Y
ug/L		N
ug/L		Y
ug/L		Y
ug/L		N
ug/L		N
ug/L		N
ug/L		N
ug/L		N
ug/L		Y
ug/L		N
ug/L		Y
ug/L		Y
ug/L		Y
ug/L		Y
ug/L		Y
ug/L		Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	N
ug/L	initial	Y
ug/L	initial	N
ug/L	initial	N
ug/L		Y
ug/L		N
ug/L		Y
ug/L		Y
ug/L		N
ug/L		Y

[illegible]

ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y

ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y

ug/L	N
ug/L	N
ug/L	N
ug/L	N
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	N
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y

ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N

ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y

ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	N
ug/L	N
ug/L	N
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y

ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	N
ug/L	N
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N

ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	N
ug/L	Y

ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y

ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	Y
ug/L	Y
ug/L	Y
ug/L	N
ug/L	N
ug/L	Y
ug/L	N
ug/L	Y
ug/L	N

Qualifier	Lab Qualifier	MDL
U	U	0.5
U	U	0.5
		5
	J	0.1
U	U	1
		0.1
		0.5
U	U	0.1
U	U	1
U	U	0.5
U	U	1
U	U	0.5
U	U	0.5
U	U	2
J	J	20
U	U	2
		100
U	U	100
		100
		2
J	J	250
		250
U		10
J	J	24
		25
U	U	17
		33
		17
		480
U	U	0.4
U	U	0.37
		0.14
U	U	0.15
J	J	0.043
U	U	1
J	J	0.12
		0.5
		0.06
		1.2
J	J	0.45
		0.4
U	U	0.58
U	U	0.1
U	U	0.1

U	U	0.3
J	J	2.8
U	U	0.08
J	J	24
		25
U	U	17
		33
J	J	17
		480
U	U	0.4
J	J	0.37
		0.14
U	U	0.15
		0.043
U	U	1
		0.12
		0.5
J	J	0.06
		1.2
J	J	0.45
		0.4
U	U	0.58
U	U	0.1
U	U	0.1
U	U	0.3
		2.8
U	U	0.08
J	J	24
		25
U	U	17
		33
		17
		480
U	U	0.4
U	U	0.37
		0.14
U	U	0.15
		0.043
U	U	1
		0.12
		0.5
		0.06
		1.2
J	J	0.45
		0.4

U	U	0.58
U	U	0.1
U	U	0.1
U	U	0.3
		2.8
U	U	0.08
J	J	24
		25
U	U	17
		33
		17
		480
U	U	0.4
U	U	0.37
		0.14
U	U	0.15
		0.043
U	U	1
J	J	0.12
		0.5
J	J	0.06
		1.2
J	J	0.45
		0.4
U	U	0.58
U	U	0.1
U	U	0.1
U	U	0.3
		2.8
U	U	0.08
J-		24
J-		25
J-		17
J-		330
J-		17
J-		480
J-		0.4
J-		0.37
J-		0.14
J-		0.15
J-		0.043
J-		1
J-		0.12
J-		0.5
J-		0.06

J-		1.2
J-		0.45
J-		0.4
UJ		0.58
UJ		0.1
J-		0.1
J-		0.3
J-		2.8
UJ	U	0.5
UJ	U	0.5
J-		5
J-		0.1
UJ	U	1
J-		0.1
J-		0.5
UJ	U	0.1
UJ	U	1
J-		0.5
UJ	U	1
UJ	U	0.5
UJ	U	0.5
UJ	U	2
UJ	U	20
UJ	U	2
J-		100
UJ	U	100
J-		100
J-		2
J-		250
J-		250
J-		10
		17
E		480
		0.4
U		0.58
U		0.1
		0.1
U		0.3
U		0.08
J		
U		
J		

U
J

J

J
U

J
J
U

U
J

U
J

J

J
U

J
J
U
U

U
U

U
J

J

U

J

U
U

U
U
J
J
U
U

U
U

U
J

U
J

U
J

U
U

U
U
J

J
U
U

U
U

U
J

U

U

U
U

U
U
J
U
U
U
J

U
U

U
U

U
J

U

U
U

U
U
U
U
U
U
U

U
U

U
U

U
J

U

U
U

J
U
U
U
U
U
J

U
U

U
U

U
J

U

U
U

U
J
U
J
U
J

U
U

U
J

U
J

U

J

U
U

U
U
J
U
U
J

U
U

U
J

U
J

U

U
U

U
U
U
J
U
U

U
U

U
U

U
J

U

U
U

U
U
J
U
U
J

U
U

U
J

U
J

J
U

U
U

U
J
U
J
U
U

U
U

U
U

U
J

U
J
J

U
U

U
U
U
U
U
J

U
U

U
J

U
J

U

U
U

U
J
U
J
U
J

U
U

U
J

U
J

U
J

U
U

U
U
U
U
U
J

U
U

U
J

U
J

J
U

U
U

U
J
U

U
J

U
U

U
J

U

U
U

J
J
U
U
U
J

U
U

U
J

U
U

U
J

U
U

U
J

U
U
J

U
U

U
J

U
U

U
J

U
U

U
J

U
J

U
U

U
J

U

U
U

U
J
U

MDL Units	QC Type	Event	Date_Col	Reporting_Limit	Reporting_Limit_Units
ug/L		8/8/2015	12:00 AM		1 ug/L
ug/L		8/8/2015	12:00 AM		2 ug/L
ug/L		8/8/2015	12:00 AM		10 ug/L
ug/L		8/8/2015	12:00 AM		0.2 ug/L
ug/L		8/8/2015	12:00 AM		2 ug/L
ug/L		8/8/2015	12:00 AM		0.2 ug/L
ug/L		8/8/2015	12:00 AM		1 ug/L
ug/L		8/8/2015	12:00 AM		0.2 ug/L
ug/L		8/8/2015	12:00 AM		1 ug/L
ug/L		8/8/2015	12:00 AM		1 ug/L
ug/L		8/8/2015	12:00 AM		2 ug/L
ug/L		8/8/2015	12:00 AM		1 ug/L
ug/L		8/8/2015	12:00 AM		1 ug/L
ug/L		8/8/2015	12:00 AM		3 ug/L
ug/L		8/8/2015	12:00 AM		50 ug/L
ug/L		8/8/2015	12:00 AM		5 ug/L
ug/L		8/8/2015	12:00 AM		250 ug/L
ug/L		8/8/2015	12:00 AM		250 ug/L
ug/L		8/8/2015	12:00 AM		250 ug/L
ug/L		8/8/2015	12:00 AM		5 ug/L
ug/L		8/8/2015	12:00 AM		1000 ug/L
ug/L		8/8/2015	12:00 AM		1000 ug/L
ug/L		8/8/2015	12:00 AM		20 ug/L
ug/L		8/13/2015	12:15 PM		200 ug/L
ug/L		8/13/2015	12:15 PM		500 ug/L
ug/L		8/13/2015	12:15 PM		50 ug/L
ug/L		8/13/2015	12:15 PM		500 ug/L
ug/L		8/13/2015	12:15 PM		1000 ug/L
ug/L		8/13/2015	12:15 PM		1000 ug/L
ug/L		8/13/2015	12:15 PM		1 ug/L
ug/L		8/13/2015	12:15 PM		1 ug/L
ug/L		8/13/2015	12:15 PM		2 ug/L
ug/L		8/13/2015	12:15 PM		0.4 ug/L
ug/L		8/13/2015	12:15 PM		0.1 ug/L
ug/L		8/13/2015	12:15 PM		2 ug/L
ug/L		8/13/2015	12:15 PM		0.4 ug/L
ug/L		8/13/2015	12:15 PM		1 ug/L
ug/L		8/13/2015	12:15 PM		0.3 ug/L
ug/L		8/13/2015	12:15 PM		2.5 ug/L
ug/L		8/13/2015	12:15 PM		1 ug/L
ug/L		8/13/2015	12:15 PM		1 ug/L
ug/L		8/13/2015	12:15 PM		2 ug/L
ug/L		8/13/2015	12:15 PM		1 ug/L
ug/L		8/13/2015	12:15 PM		0.2 ug/L

ug/L	8/13/2015 12:15 PM	1 ug/L
ug/L	8/13/2015 12:15 PM	20 ug/L
ug/L	8/13/2015 12:15 PM	0.2 ug/L
ug/L	8/13/2015 10:55 AM	200 ug/L
ug/L	8/13/2015 10:55 AM	500 ug/L
ug/L	8/13/2015 10:55 AM	50 ug/L
ug/L	8/13/2015 10:55 AM	500 ug/L
ug/L	8/13/2015 10:55 AM	1000 ug/L
ug/L	8/13/2015 10:55 AM	1000 ug/L
ug/L	8/13/2015 10:55 AM	1 ug/L
ug/L	8/13/2015 10:55 AM	1 ug/L
ug/L	8/13/2015 10:55 AM	2 ug/L
ug/L	8/13/2015 10:55 AM	0.4 ug/L
ug/L	8/13/2015 10:55 AM	0.1 ug/L
ug/L	8/13/2015 10:55 AM	2 ug/L
ug/L	8/13/2015 10:55 AM	0.4 ug/L
ug/L	8/13/2015 10:55 AM	1 ug/L
ug/L	8/13/2015 10:55 AM	0.3 ug/L
ug/L	8/13/2015 10:55 AM	2.5 ug/L
ug/L	8/13/2015 10:55 AM	1 ug/L
ug/L	8/13/2015 10:55 AM	1 ug/L
ug/L	8/13/2015 10:55 AM	2 ug/L
ug/L	8/13/2015 10:55 AM	1 ug/L
ug/L	8/13/2015 10:55 AM	0.2 ug/L
ug/L	8/13/2015 10:55 AM	1 ug/L
ug/L	8/13/2015 10:55 AM	20 ug/L
ug/L	8/13/2015 10:55 AM	0.2 ug/L
ug/L	8/13/2015 12:45 PM	200 ug/L
ug/L	8/13/2015 12:45 PM	500 ug/L
ug/L	8/13/2015 12:45 PM	50 ug/L
ug/L	8/13/2015 12:45 PM	500 ug/L
ug/L	8/13/2015 12:45 PM	1000 ug/L
ug/L	8/13/2015 12:45 PM	1000 ug/L
ug/L	8/13/2015 12:45 PM	1 ug/L
ug/L	8/13/2015 12:45 PM	1 ug/L
ug/L	8/13/2015 12:45 PM	2 ug/L
ug/L	8/13/2015 12:45 PM	0.4 ug/L
ug/L	8/13/2015 12:45 PM	0.1 ug/L
ug/L	8/13/2015 12:45 PM	2 ug/L
ug/L	8/13/2015 12:45 PM	0.4 ug/L
ug/L	8/13/2015 12:45 PM	1 ug/L
ug/L	8/13/2015 12:45 PM	0.3 ug/L
ug/L	8/13/2015 12:45 PM	2.5 ug/L
ug/L	8/13/2015 12:45 PM	1 ug/L
ug/L	8/13/2015 12:45 PM	1 ug/L

ug/L	8/13/2015; 12:45 PM	2 ug/L
ug/L	8/13/2015; 12:45 PM	1 ug/L
ug/L	8/13/2015; 12:45 PM	0.2 ug/L
ug/L	8/13/2015; 12:45 PM	1 ug/L
ug/L	8/13/2015; 12:45 PM	20 ug/L
ug/L	8/13/2015; 12:45 PM	0.2 ug/L
ug/L	8/13/2015; 11:45 AM	200 ug/L
ug/L	8/13/2015; 11:45 AM	500 ug/L
ug/L	8/13/2015; 11:45 AM	50 ug/L
ug/L	8/13/2015; 11:45 AM	500 ug/L
ug/L	8/13/2015; 11:45 AM	1000 ug/L
ug/L	8/13/2015; 11:45 AM	1000 ug/L
ug/L	8/13/2015; 11:45 AM	1 ug/L
ug/L	8/13/2015; 11:45 AM	1 ug/L
ug/L	8/13/2015; 11:45 AM	2 ug/L
ug/L	8/13/2015; 11:45 AM	0.4 ug/L
ug/L	8/13/2015; 11:45 AM	0.1 ug/L
ug/L	8/13/2015; 11:45 AM	2 ug/L
ug/L	8/13/2015; 11:45 AM	0.4 ug/L
ug/L	8/13/2015; 11:45 AM	1 ug/L
ug/L	8/13/2015; 11:45 AM	0.3 ug/L
ug/L	8/13/2015; 11:45 AM	2.5 ug/L
ug/L	8/13/2015; 11:45 AM	1 ug/L
ug/L	8/13/2015; 11:45 AM	1 ug/L
ug/L	8/13/2015; 11:45 AM	2 ug/L
ug/L	8/13/2015; 11:45 AM	1 ug/L
ug/L	8/13/2015; 11:45 AM	0.2 ug/L
ug/L	8/13/2015; 11:45 AM	1 ug/L
ug/L	8/13/2015; 11:45 AM	20 ug/L
ug/L	8/13/2015; 11:45 AM	0.2 ug/L
ug/L	8/10/2015; 10:45 AM	200 ug/L
ug/L	8/10/2015; 10:45 AM	500 ug/L
ug/L	8/10/2015; 10:45 AM	50 ug/L
ug/L	8/10/2015; 10:45 AM	5000 ug/L
ug/L	8/10/2015; 10:45 AM	1000 ug/L
ug/L	8/10/2015; 10:45 AM	1000 ug/L
ug/L	8/10/2015; 10:45 AM	1 ug/L
ug/L	8/10/2015; 10:45 AM	1 ug/L
ug/L	8/10/2015; 10:45 AM	2 ug/L
ug/L	8/10/2015; 10:45 AM	0.4 ug/L
ug/L	8/10/2015; 10:45 AM	0.1 ug/L
ug/L	8/10/2015; 10:45 AM	2 ug/L
ug/L	8/10/2015; 10:45 AM	0.4 ug/L
ug/L	8/10/2015; 10:45 AM	1 ug/L
ug/L	8/10/2015; 10:45 AM	0.3 ug/L

ug/L	8/10/2015; 10:45 AM	2.5 ug/L
ug/L	8/10/2015; 10:45 AM	1 ug/L
ug/L	8/10/2015; 10:45 AM	1 ug/L
ug/L	8/10/2015; 10:45 AM	2 ug/L
ug/L	8/10/2015; 10:45 AM	1 ug/L
ug/L	8/10/2015; 10:45 AM	0.2 ug/L
ug/L	8/10/2015; 10:45 AM	1 ug/L
ug/L	8/10/2015; 10:45 AM	20 ug/L
ug/L	8/9/2015; 12:00 AM	1 ug/L
ug/L	8/9/2015; 12:00 AM	2 ug/L
ug/L	8/9/2015; 12:00 AM	10 ug/L
ug/L	8/9/2015; 12:00 AM	0.2 ug/L
ug/L	8/9/2015; 12:00 AM	2 ug/L
ug/L	8/9/2015; 12:00 AM	0.2 ug/L
ug/L	8/9/2015; 12:00 AM	1 ug/L
ug/L	8/9/2015; 12:00 AM	0.2 ug/L
ug/L	8/9/2015; 12:00 AM	1 ug/L
ug/L	8/9/2015; 12:00 AM	1 ug/L
ug/L	8/9/2015; 12:00 AM	2 ug/L
ug/L	8/9/2015; 12:00 AM	1 ug/L
ug/L	8/9/2015; 12:00 AM	1 ug/L
ug/L	8/9/2015; 12:00 AM	3 ug/L
ug/L	8/9/2015; 12:00 AM	50 ug/L
ug/L	8/9/2015; 12:00 AM	5 ug/L
ug/L	8/9/2015; 12:00 AM	250 ug/L
ug/L	8/9/2015; 12:00 AM	250 ug/L
ug/L	8/9/2015; 12:00 AM	250 ug/L
ug/L	8/9/2015; 12:00 AM	5 ug/L
ug/L	8/9/2015; 12:00 AM	1000 ug/L
ug/L	8/9/2015; 12:00 AM	1000 ug/L
ug/L	8/9/2015; 12:00 AM	20 ug/L
ug/L	8/11/2015; 4:20 PM	1000 ug/L
ug/L	8/11/2015; 4:20 PM	1000 ug/L
ug/L	8/11/2015; 4:20 PM	1 ug/L
ug/L	8/11/2015; 4:20 PM	2 ug/L
ug/L	8/11/2015; 4:20 PM	1 ug/L
ug/L	8/11/2015; 4:20 PM	0.2 ug/L
ug/L	8/11/2015; 4:20 PM	1 ug/L
ug/L	8/11/2015; 4:20 PM	0.2 ug/L
	42222	
	42222	
	42222	
	42222	
	42222	
	42222	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Reportable_ResultTypeTotal_Or_DisolSampleDate

empty

	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
	TRG	D	42224
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229
Yes	TRG	D	42229

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

empty

empty

empty

empty

empty

empty

empty

empty

empty

empty

empty

empty

empty

empty

empty

empty

empty

empty	empty	empty	empty	empty	empty	Analyte
						Antimony
						Arsenic
						Barium
						Cadmium
						Chromium
						Cobalt
						Copper
						Lead
						Molybdenum
						Nickel
						Selenium
						Silver
						Thallium
						Vanadium
						Aluminum
						Beryllium
						Calcium
						Iron
						Magnesium
						Manganese
						Potassium
						Sodium
						Zinc
						Aluminum
						Calcium
						Iron
						Magnesium
						Potassium
						Sodium
						Antimony
						Arsenic
						Barium
						Beryllium
						Cadmium
						Chromium
						Cobalt
						Copper
						Lead
						Manganese
						Molybdenum
						Nickel
						Selenium
						Silver
						Thallium

Vanadium
Zinc
Mercury
Aluminum
Calcium
Iron
Magnesium
Potassium
Sodium
Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Cobalt
Copper
Lead
Manganese
Molybdenum
Nickel
Selenium
Silver
Thallium
Vanadium
Zinc
Mercury
Aluminum
Calcium
Iron
Magnesium
Potassium
Sodium
Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Cobalt
Copper
Lead
Manganese
Molybdenum
Nickel

Selenium
Silver
Thallium
Vanadium
Zinc
Mercury
Aluminum
Calcium
Iron
Magnesium
Potassium
Sodium
Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Cobalt
Copper
Lead
Manganese
Molybdenum
Nickel
Selenium
Silver
Thallium
Vanadium
Zinc
Mercury
Aluminum
Calcium
Iron
Magnesium
Potassium
Sodium
Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Cobalt
Copper
Lead

Manganese
Molybdenum
Nickel
Selenium
Silver
Thallium
Vanadium
Zinc
Antimony
Arsenic
Barium
Cadmium
Chromium
Cobalt
Copper
Lead
Molybdenum
Nickel
Selenium
Silver
Thallium
Vanadium
Aluminum
Beryllium
Calcium
Iron
Magnesium
Manganese
Potassium
Sodium
Zinc
Potassium
Sodium
Nickel
Selenium
Silver
Thallium
Vanadium
Mercury
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium

Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic

Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc

Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium

Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium

Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury

Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead

Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt

Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium

Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic

Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc

Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

0	0D	NSW-ARI	NSW-ARI
0	0D	NSW-ARI	NSW-ARI
0	0D	NSW-ARI	NSW-ARI
0	0D	NSW-ARI	NSW-ARI
0	0D	NSW-ARI	NSW-ARI
0	0D	NSW-ARI	NSW-ARI
0	0D	NSW-ARI	NSW-ARI
0	0D	NSW-ARI	NSW-ARI
0	0D	NSW-ARI	NSW-ARI
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FW-012	FW-012
0	0D	FWS-ARP2	FWS-ARP2
0	0D	FWS-ARP2	FWS-ARP2
0	0D	FWS-ARP2	FWS-ARP2
0	0D	FWS-ARP2	FWS-ARP2
0	0D	FWS-ARP2	FWS-ARP2
0	0D	FWS-ARP2	FWS-ARP2
0	0D	FWS-ARP2	FWS-ARP2
0	0D	FWS-ARP2	FWS-ARP2
0	0D	FWS-ARP2	FWS-ARP2
0	0D	FWS-ARP2	FWS-ARP2
0	0D	FWS-ARP2	FWS-ARP2
0	0D	FWS-ARP2	FWS-ARP2
0	0D	FWS-ARP2	FWS-ARP2
0	0D	FWS-ARP2	FWS-ARP2

[illegible]

0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	MWSS-ARI	MWSS-ARI
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FW-040	FW-040
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS

0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	FWS-FDPS	FWS-FDPS
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-WPI	LVW-WPI
0	0D	LVW-020	LVW-020
0	0D	LVW-020	LVW-020
0	0D	LVW-020	LVW-020

[illegible]

[illegible]

date	Result	Detect	ND = 1/2	ND = 0	units
8/8/2015	0.5	N	0.25	0	ug/L
8/8/2015	0.5	N	0.25	0	ug/L
8/8/2015	28.3	Y	28.3	28.3	ug/L
8/8/2015	0.344	Y	0.344	0.344	ug/L
8/8/2015	1	N	0.5	0	ug/L
8/8/2015	1.73	Y	1.73	1.73	ug/L
8/8/2015	2.44	Y	2.44	2.44	ug/L
8/8/2015	0.1	N	0.05	0	ug/L
8/8/2015	1	N	0.5	0	ug/L
8/8/2015	0.5	N	0.25	0	ug/L
8/8/2015	1	N	0.5	0	ug/L
8/8/2015	0.5	N	0.25	0	ug/L
8/8/2015	0.5	N	0.25	0	ug/L
8/8/2015	2	N	1	0	ug/L
8/8/2015	45	Y	45	45	ug/L
8/8/2015	2	N	1	0	ug/L
8/8/2015	35200	Y	35200	35200	ug/L
8/8/2015	100	N	50	0	ug/L
8/8/2015	4380	Y	4380	4380	ug/L
8/8/2015	444	Y	444	444	ug/L
8/8/2015	687	Y	687	687	ug/L
8/8/2015	2170	Y	2170	2170	ug/L
8/8/2015	61.5	N	30.75	0	ug/L
8/13/2015	66	Y	66	66	ug/L
8/13/2015	60000	Y	60000	60000	ug/L
8/13/2015	17	N	8.5	0	ug/L
8/13/2015	7800	Y	7800	7800	ug/L
8/13/2015	2100	Y	2100	2100	ug/L
8/13/2015	10000	Y	10000	10000	ug/L
8/13/2015	0.4	N	0.2	0	ug/L
8/13/2015	0.37	N	0.185	0	ug/L
8/13/2015	43	Y	43	43	ug/L
8/13/2015	0.15	N	0.075	0	ug/L
8/13/2015	0.054	Y	0.054	0.054	ug/L
8/13/2015	1	N	0.5	0	ug/L
8/13/2015	0.2	Y	0.2	0.2	ug/L
8/13/2015	2.5	Y	2.5	2.5	ug/L
8/13/2015	0.32	Y	0.32	0.32	ug/L
8/13/2015	61	Y	61	61	ug/L
8/13/2015	0.94	Y	0.94	0.94	ug/L
8/13/2015	1	Y	1	1	ug/L
8/13/2015	0.58	N	0.29	0	ug/L
8/13/2015	0.1	N	0.05	0	ug/L
8/13/2015	0.1	N	0.05	0	ug/L

8/13/2015	0.3	N	0.15	0	ug/L
8/13/2015	9.7	Y	9.7	9.7	ug/L
8/13/2015	0.08	N	0.04	0	ug/L
8/13/2015	72	Y	72	72	ug/L
8/13/2015	43000	Y	43000	43000	ug/L
8/13/2015	17	N	8.5	0	ug/L
8/13/2015	4500	Y	4500	4500	ug/L
8/13/2015	770	Y	770	770	ug/L
8/13/2015	2200	Y	2200	2200	ug/L
8/13/2015	0.4	N	0.2	0	ug/L
8/13/2015	0.4	Y	0.4	0.4	ug/L
8/13/2015	30	Y	30	30	ug/L
8/13/2015	0.15	N	0.075	0	ug/L
8/13/2015	0.53	Y	0.53	0.53	ug/L
8/13/2015	1	N	0.5	0	ug/L
8/13/2015	1.8	Y	1.8	1.8	ug/L
8/13/2015	3	Y	3	3	ug/L
8/13/2015	0.16	Y	0.16	0.16	ug/L
8/13/2015	420	Y	420	420	ug/L
8/13/2015	0.61	Y	0.61	0.61	ug/L
8/13/2015	1.9	Y	1.9	1.9	ug/L
8/13/2015	0.58	N	0.29	0	ug/L
8/13/2015	0.1	N	0.05	0	ug/L
8/13/2015	0.1	N	0.05	0	ug/L
8/13/2015	0.3	N	0.15	0	ug/L
8/13/2015	120	Y	120	120	ug/L
8/13/2015	0.08	N	0.04	0	ug/L
8/13/2015	34	Y	34	34	ug/L
8/13/2015	64000	Y	64000	64000	ug/L
8/13/2015	17	N	8.5	0	ug/L
8/13/2015	7900	Y	7900	7900	ug/L
8/13/2015	2200	Y	2200	2200	ug/L
8/13/2015	11000	Y	11000	11000	ug/L
8/13/2015	0.4	N	0.2	0	ug/L
8/13/2015	0.37	N	0.185	0	ug/L
8/13/2015	45	Y	45	45	ug/L
8/13/2015	0.15	N	0.075	0	ug/L
8/13/2015	0.19	Y	0.19	0.19	ug/L
8/13/2015	1	N	0.5	0	ug/L
8/13/2015	0.41	Y	0.41	0.41	ug/L
8/13/2015	1.9	Y	1.9	1.9	ug/L
8/13/2015	0.38	Y	0.38	0.38	ug/L
8/13/2015	130	Y	130	130	ug/L
8/13/2015	0.97	Y	0.97	0.97	ug/L
8/13/2015	1.4	Y	1.4	1.4	ug/L

8/13/2015	0.58	N	0.29	0	ug/L
8/13/2015	0.1	N	0.05	0	ug/L
8/13/2015	0.1	N	0.05	0	ug/L
8/13/2015	0.3	N	0.15	0	ug/L
8/13/2015	60	Y	60	60	ug/L
8/13/2015	0.08	N	0.04	0	ug/L
8/13/2015	46	Y	46	46	ug/L
8/13/2015	60000	Y	60000	60000	ug/L
8/13/2015	17	N	8.5	0	ug/L
8/13/2015	7500	Y	7500	7500	ug/L
8/13/2015	2000	Y	2000	2000	ug/L
8/13/2015	10000	Y	10000	10000	ug/L
8/13/2015	0.4	N	0.2	0	ug/L
8/13/2015	0.37	N	0.185	0	ug/L
8/13/2015	42	Y	42	42	ug/L
8/13/2015	0.15	N	0.075	0	ug/L
8/13/2015	0.11	Y	0.11	0.11	ug/L
8/13/2015	1	N	0.5	0	ug/L
8/13/2015	0.37	Y	0.37	0.37	ug/L
8/13/2015	1.4	Y	1.4	1.4	ug/L
8/13/2015	0.083	Y	0.083	0.083	ug/L
8/13/2015	97	Y	97	97	ug/L
8/13/2015	0.81	Y	0.81	0.81	ug/L
8/13/2015	1.3	Y	1.3	1.3	ug/L
8/13/2015	0.58	N	0.29	0	ug/L
8/13/2015	0.1	N	0.05	0	ug/L
8/13/2015	0.1	N	0.05	0	ug/L
8/13/2015	0.3	N	0.15	0	ug/L
8/13/2015	31	Y	31	31	ug/L
8/13/2015	0.08	N	0.04	0	ug/L
8/10/2015	35000	Y	35000	35000	ug/L
8/10/2015	380000	Y	380000	380000	ug/L
8/10/2015	120000	Y	120000	120000	ug/L
8/10/2015	33000	Y	33000	33000	ug/L
8/10/2015	2700	Y	2700	2700	ug/L
8/10/2015	3900	Y	3900	3900	ug/L
8/10/2015	0.5	Y	0.5	0.5	ug/L
8/10/2015	3.7	Y	3.7	3.7	ug/L
8/10/2015	8.9	Y	8.9	8.9	ug/L
8/10/2015	11	Y	11	11	ug/L
8/10/2015	65	Y	65	65	ug/L
8/10/2015	2.7	Y	2.7	2.7	ug/L
8/10/2015	110	Y	110	110	ug/L
8/10/2015	6000	Y	6000	6000	ug/L
8/10/2015	32	Y	32	32	ug/L

8/10/2015	33000	Y	33000	33000	ug/L
8/10/2015	0.84	Y	0.84	0.84	ug/L
8/10/2015	72	Y	72	72	ug/L
8/10/2015	1.7	N	0.85	0	ug/L
8/10/2015	0.1	N	0.05	0	ug/L
8/10/2015	0.32	Y	0.32	0.32	ug/L
8/10/2015	2	Y	2	2	ug/L
8/10/2015	25000	Y	25000	25000	ug/L
8/9/2015	0.5	N	0.25	0	ug/L
8/9/2015	0.5	N	0.25	0	ug/L
8/9/2015	38.1	Y	38.1	38.1	ug/L
8/9/2015	2.93	Y	2.93	2.93	ug/L
8/9/2015	1	N	0.5	0	ug/L
8/9/2015	4.79	Y	4.79	4.79	ug/L
8/9/2015	2.91	Y	2.91	2.91	ug/L
8/9/2015	0.1	N	0.05	0	ug/L
8/9/2015	1	N	0.5	0	ug/L
8/9/2015	2.97	Y	2.97	2.97	ug/L
8/9/2015	1	N	0.5	0	ug/L
8/9/2015	0.5	N	0.25	0	ug/L
8/9/2015	0.5	N	0.25	0	ug/L
8/9/2015	2	N	1	0	ug/L
8/9/2015	20	N	10	0	ug/L
8/9/2015	2	N	1	0	ug/L
8/9/2015	48900	Y	48900	48900	ug/L
8/9/2015	100	N	50	0	ug/L
8/9/2015	5040	Y	5040	5040	ug/L
8/9/2015	1620	Y	1620	1620	ug/L
8/9/2015	1370	Y	1370	1370	ug/L
8/9/2015	3290	Y	3290	3290	ug/L
8/9/2015	804	Y	804	804	ug/L
8/11/2015	2300	Y	2300	2300	ug/L
8/11/2015	120000	Y	120000	120000	ug/L
8/11/2015	58	Y	58	58	ug/L
8/11/2015	0.58	N	0.29	0	ug/L
8/11/2015	0.1	N	0.05	0	ug/L
8/11/2015	0.25	Y	0.25	0.25	ug/L
8/11/2015	0.3	N	0.15	0	ug/L
8/11/2015	0.08	N	0.04	0	ug/L
8/6/2015	41	Y	41	41	12/31/99 0:00
8/6/2015	0.07	N	0.035	0	12/31/99 0:00
8/6/2015	0.5	Y	0.5	0.5	12/31/99 0:00
8/6/2015	75	Y	75	75	12/31/99 0:00
8/6/2015	0.02	N	0.01	0	12/31/99 0:00
8/6/2015	0.03	Y	0.03	0.03	12/31/99 0:00

8/6/2015	59100	Y	59100	59100	12/31/99 0:00
8/6/2015	3.6	Y	3.6	3.6	12/31/99 0:00
8/6/2015	0.1	Y	0.1	0.1	12/31/99 0:00
8/6/2015	1.4	Y	1.4	1.4	12/31/99 0:00
8/6/2015	3	N	1.5	0	12/31/99 0:00
8/6/2015	0.06	Y	0.06	0.06	12/31/99 0:00
8/6/2015	9160	Y	9160	9160	12/31/99 0:00
8/6/2015	29	Y	29	29	12/31/99 0:00
8/6/2015	0.07	Y	0.07	0.07	12/31/99 0:00
8/6/2015	1.2	Y	1.2	1.2	12/31/99 0:00
8/6/2015	2.2	Y	2.2	2.2	12/31/99 0:00
8/6/2015	2330	Y	2330	2330	12/31/99 0:00
8/6/2015	0.6	Y	0.6	0.6	12/31/99 0:00
8/6/2015	0.03	N	0.015	0	12/31/99 0:00
8/6/2015	16000	Y	16000	16000	12/31/99 0:00
8/6/2015	0.1	Y	0.1	0.1	12/31/99 0:00
8/6/2015	1.2	Y	1.2	1.2	12/31/99 0:00
8/6/2015	26	Y	26	26	12/31/99 0:00
8/6/2015	44	Y	44	44	12/31/99 0:00
8/6/2015	0.07	N	0.035	0	12/31/99 0:00
8/6/2015	0.6	Y	0.6	0.6	12/31/99 0:00
8/6/2015	69.8	Y	69.8	69.8	12/31/99 0:00
8/6/2015	0.02	N	0.01	0	12/31/99 0:00
8/6/2015	0.02	Y	0.02	0.02	12/31/99 0:00
8/6/2015	62000	Y	62000	62000	12/31/99 0:00
8/6/2015	3.5	Y	3.5	3.5	12/31/99 0:00
8/6/2015	0.2	Y	0.2	0.2	12/31/99 0:00
8/6/2015	1.4	Y	1.4	1.4	12/31/99 0:00
8/6/2015	3	N	1.5	0	12/31/99 0:00
8/6/2015	0.05	Y	0.05	0.05	12/31/99 0:00
8/6/2015	9580	Y	9580	9580	12/31/99 0:00
8/6/2015	36	Y	36	36	12/31/99 0:00
8/6/2015	0.03	Y	0.03	0.03	12/31/99 0:00
8/6/2015	1.2	Y	1.2	1.2	12/31/99 0:00
8/6/2015	2.1	Y	2.1	2.1	12/31/99 0:00
8/6/2015	2540	Y	2540	2540	12/31/99 0:00
8/6/2015	0.7	Y	0.7	0.7	12/31/99 0:00
8/6/2015	0.03	N	0.015	0	12/31/99 0:00
8/6/2015	19800	Y	19800	19800	12/31/99 0:00
8/6/2015	0.1	Y	0.1	0.1	12/31/99 0:00
8/6/2015	1.4	Y	1.4	1.4	12/31/99 0:00
8/6/2015	27	Y	27	27	12/31/99 0:00
8/11/2015	51	Y	51	51	12/31/99 0:00
8/11/2015	0.4	N	0.2	0	12/31/99 0:00
8/11/2015	0.37	N	0.185	0	12/31/99 0:00

8/11/2015	62	Y	62	62	12/31/99 0:00
8/11/2015	0.15	N	0.075	0	12/31/99 0:00
8/11/2015	0.043	N	0.0215	0	12/31/99 0:00
8/11/2015	60000	Y	60000	60000	12/31/99 0:00
8/11/2015	1	N	0.5	0	12/31/99 0:00
8/11/2015	0.13	Y	0.13	0.13	12/31/99 0:00
8/11/2015	3	Y	3	3	12/31/99 0:00
8/11/2015	20	Y	20	20	12/31/99 0:00
8/11/2015	0.61	Y	0.61	0.61	12/31/99 0:00
8/11/2015	8700	Y	8700	8700	12/31/99 0:00
8/11/2015	19	Y	19	19	12/31/99 0:00
8/11/2015	0.08	N	0.04	0	12/31/99 0:00
8/11/2015	1.2	Y	1.2	1.2	12/31/99 0:00
8/11/2015	1.9	Y	1.9	1.9	12/31/99 0:00
8/11/2015	2300	Y	2300	2300	12/31/99 0:00
8/11/2015	0.58	N	0.29	0	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	15000	Y	15000	15000	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	0.3	N	0.15	0	12/31/99 0:00
8/11/2015	5.4	Y	5.4	5.4	12/31/99 0:00
8/11/2015	36	Y	36	36	12/31/99 0:00
8/11/2015	0.4	N	0.2	0	12/31/99 0:00
8/11/2015	0.37	N	0.185	0	12/31/99 0:00
8/11/2015	62	Y	62	62	12/31/99 0:00
8/11/2015	0.15	N	0.075	0	12/31/99 0:00
8/11/2015	0.043	N	0.0215	0	12/31/99 0:00
8/11/2015	61000	Y	61000	61000	12/31/99 0:00
8/11/2015	1	N	0.5	0	12/31/99 0:00
8/11/2015	0.12	Y	0.12	0.12	12/31/99 0:00
8/11/2015	2.7	Y	2.7	2.7	12/31/99 0:00
8/11/2015	17	N	8.5	0	12/31/99 0:00
8/11/2015	0.18	Y	0.18	0.18	12/31/99 0:00
8/11/2015	8900	Y	8900	8900	12/31/99 0:00
8/11/2015	13	Y	13	13	12/31/99 0:00
8/11/2015	0.08	N	0.04	0	12/31/99 0:00
8/11/2015	1.2	Y	1.2	1.2	12/31/99 0:00
8/11/2015	1.2	Y	1.2	1.2	12/31/99 0:00
8/11/2015	2300	Y	2300	2300	12/31/99 0:00
8/11/2015	0.58	N	0.29	0	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	14000	Y	14000	14000	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	0.3	N	0.15	0	12/31/99 0:00
8/11/2015	4.6	Y	4.6	4.6	12/31/99 0:00

8/11/2015	39	Y	39	39	12/31/99 0:00
8/11/2015	0.4	N	0.2	0	12/31/99 0:00
8/11/2015	0.37	N	0.185	0	12/31/99 0:00
8/11/2015	70	Y	70	70	12/31/99 0:00
8/11/2015	0.15	N	0.075	0	12/31/99 0:00
8/11/2015	0.043	N	0.0215	0	12/31/99 0:00
8/11/2015	65000	Y	65000	65000	12/31/99 0:00
8/11/2015	1	N	0.5	0	12/31/99 0:00
8/11/2015	0.13	Y	0.13	0.13	12/31/99 0:00
8/11/2015	2.9	Y	2.9	2.9	12/31/99 0:00
8/11/2015	17	N	8.5	0	12/31/99 0:00
8/11/2015	0.38	Y	0.38	0.38	12/31/99 0:00
8/11/2015	8900	Y	8900	8900	12/31/99 0:00
8/11/2015	19	Y	19	19	12/31/99 0:00
8/11/2015	0.08	N	0.04	0	12/31/99 0:00
8/11/2015	1.1	Y	1.1	1.1	12/31/99 0:00
8/11/2015	1.3	Y	1.3	1.3	12/31/99 0:00
8/11/2015	2300	Y	2300	2300	12/31/99 0:00
8/11/2015	0.58	N	0.29	0	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	13000	Y	13000	13000	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	0.3	N	0.15	0	12/31/99 0:00
8/11/2015	75	Y	75	75	12/31/99 0:00
8/8/2015	24	N	12	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0.58	Y	0.58	0.58	12/31/99 0:00
8/8/2015	49	Y	49	49	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	61000	Y	61000	61000	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	1.3	Y	1.3	1.3	12/31/99 0:00
8/8/2015	17	N	8.5	0	12/31/99 0:00
8/8/2015	0.17	Y	0.17	0.17	12/31/99 0:00
8/8/2015	8100	Y	8100	8100	12/31/99 0:00
8/8/2015	2.9	Y	2.9	2.9	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	1.5	Y	1.5	1.5	12/31/99 0:00
8/8/2015	1.2	Y	1.2	1.2	12/31/99 0:00
8/8/2015	2200	Y	2200	2200	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	14000	Y	14000	14000	12/31/99 0:00

8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	3	N	1.5	0	12/31/99 0:00
8/8/2015	24	N	12	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	50	Y	50	50	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	60000	Y	60000	60000	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	1.4	Y	1.4	1.4	12/31/99 0:00
8/8/2015	17	N	8.5	0	12/31/99 0:00
8/8/2015	0.15	Y	0.15	0.15	12/31/99 0:00
8/8/2015	8100	Y	8100	8100	12/31/99 0:00
8/8/2015	3	Y	3	3	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	1.3	Y	1.3	1.3	12/31/99 0:00
8/8/2015	1.2	Y	1.2	1.2	12/31/99 0:00
8/8/2015	2100	Y	2100	2100	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	13000	Y	13000	13000	12/31/99 0:00
8/8/2015	0.15	Y	0.15	0.15	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	3	N	1.5	0	12/31/99 0:00
8/8/2015	24	N	12	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0.5	Y	0.5	0.5	12/31/99 0:00
8/8/2015	55	Y	55	55	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	57000	Y	57000	57000	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	1.6	Y	1.6	1.6	12/31/99 0:00
8/8/2015	17	N	8.5	0	12/31/99 0:00
8/8/2015	0.25	Y	0.25	0.25	12/31/99 0:00
8/8/2015	7800	Y	7800	7800	12/31/99 0:00
8/8/2015	5.6	Y	5.6	5.6	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	1.2	Y	1.2	1.2	12/31/99 0:00
8/8/2015	1.3	Y	1.3	1.3	12/31/99 0:00
8/8/2015	2300	Y	2300	2300	12/31/99 0:00

8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	13000	Y	13000	13000	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0.41	Y	0.41	0.41	12/31/99 0:00
8/8/2015	3	N	1.5	0	12/31/99 0:00
8/11/2015	38	Y	38	38	12/31/99 0:00
8/11/2015	0.4	N	0.2	0	12/31/99 0:00
8/11/2015	0.38	Y	0.38	0.38	12/31/99 0:00
8/11/2015	65	Y	65	65	12/31/99 0:00
8/11/2015	0.15	N	0.075	0	12/31/99 0:00
8/11/2015	0.043	N	0.0215	0	12/31/99 0:00
8/11/2015	62000	Y	62000	62000	12/31/99 0:00
8/11/2015	1	N	0.5	0	12/31/99 0:00
8/11/2015	0.12	Y	0.12	0.12	12/31/99 0:00
8/11/2015	2.8	Y	2.8	2.8	12/31/99 0:00
8/11/2015	17	N	8.5	0	12/31/99 0:00
8/11/2015	0.14	Y	0.14	0.14	12/31/99 0:00
8/11/2015	8800	Y	8800	8800	12/31/99 0:00
8/11/2015	11	Y	11	11	12/31/99 0:00
8/11/2015	0.08	N	0.04	0	12/31/99 0:00
8/11/2015	1.1	Y	1.1	1.1	12/31/99 0:00
8/11/2015	1.6	Y	1.6	1.6	12/31/99 0:00
8/11/2015	2300	Y	2300	2300	12/31/99 0:00
8/11/2015	0.58	N	0.29	0	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	13000	Y	13000	13000	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	0.3	N	0.15	0	12/31/99 0:00
8/11/2015	3	Y	3	3	12/31/99 0:00
8/8/2015	24	N	12	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0.62	Y	0.62	0.62	12/31/99 0:00
8/8/2015	52	Y	52	52	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	58000	Y	58000	58000	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0.12	Y	0.12	0.12	12/31/99 0:00
8/8/2015	1.5	Y	1.5	1.5	12/31/99 0:00
8/8/2015	17	N	8.5	0	12/31/99 0:00
8/8/2015	0.15	Y	0.15	0.15	12/31/99 0:00
8/8/2015	7900	Y	7900	7900	12/31/99 0:00
8/8/2015	5.4	Y	5.4	5.4	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00

8/8/2015	1.3	Y	1.3	1.3	12/31/99 0:00
8/8/2015	1.3	Y	1.3	1.3	12/31/99 0:00
8/8/2015	2200	Y	2200	2200	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	12000	Y	12000	12000	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	3	N	1.5	0	12/31/99 0:00
8/11/2015	34	Y	34	34	12/31/99 0:00
8/11/2015	0.4	N	0.2	0	12/31/99 0:00
8/11/2015	0.37	N	0.185	0	12/31/99 0:00
8/11/2015	64	Y	64	64	12/31/99 0:00
8/11/2015	0.15	N	0.075	0	12/31/99 0:00
8/11/2015	0.043	N	0.0215	0	12/31/99 0:00
8/11/2015	66000	Y	66000	66000	12/31/99 0:00
8/11/2015	1	N	0.5	0	12/31/99 0:00
8/11/2015	0.12	N	0.06	0	12/31/99 0:00
8/11/2015	2.6	Y	2.6	2.6	12/31/99 0:00
8/11/2015	17	N	8.5	0	12/31/99 0:00
8/11/2015	0.13	Y	0.13	0.13	12/31/99 0:00
8/11/2015	8800	Y	8800	8800	12/31/99 0:00
8/11/2015	14	Y	14	14	12/31/99 0:00
8/11/2015	0.08	N	0.04	0	12/31/99 0:00
8/11/2015	1.1	Y	1.1	1.1	12/31/99 0:00
8/11/2015	1	Y	1	1	12/31/99 0:00
8/11/2015	2200	Y	2200	2200	12/31/99 0:00
8/11/2015	0.58	N	0.29	0	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	16000	Y	16000	16000	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	0.3	N	0.15	0	12/31/99 0:00
8/11/2015	5.2	Y	5.2	5.2	12/31/99 0:00
8/8/2015	24	N	12	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0.38	Y	0.38	0.38	12/31/99 0:00
8/8/2015	56	Y	56	56	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	66000	Y	66000	66000	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0.12	Y	0.12	0.12	12/31/99 0:00
8/8/2015	1.4	Y	1.4	1.4	12/31/99 0:00
8/8/2015	17	N	8.5	0	12/31/99 0:00
8/8/2015	0.14	Y	0.14	0.14	12/31/99 0:00

8/8/2015	8300	Y	8300	8300	12/31/99 0:00
8/8/2015	1.7	Y	1.7	1.7	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	1.7	Y	1.7	1.7	12/31/99 0:00
8/8/2015	1.4	Y	1.4	1.4	12/31/99 0:00
8/8/2015	2200	Y	2200	2200	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	16000	Y	16000	16000	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0.37	Y	0.37	0.37	12/31/99 0:00
8/8/2015	3	N	1.5	0	12/31/99 0:00
8/11/2015	41	Y	41	41	12/31/99 0:00
8/11/2015	0.4	N	0.2	0	12/31/99 0:00
8/11/2015	0.37	N	0.185	0	12/31/99 0:00
8/11/2015	62	Y	62	62	12/31/99 0:00
8/11/2015	0.15	N	0.075	0	12/31/99 0:00
8/11/2015	0.043	N	0.0215	0	12/31/99 0:00
8/11/2015	64000	Y	64000	64000	12/31/99 0:00
8/11/2015	1	N	0.5	0	12/31/99 0:00
8/11/2015	0.12	N	0.06	0	12/31/99 0:00
8/11/2015	2.7	Y	2.7	2.7	12/31/99 0:00
8/11/2015	17	N	8.5	0	12/31/99 0:00
8/11/2015	0.21	Y	0.21	0.21	12/31/99 0:00
8/11/2015	8900	Y	8900	8900	12/31/99 0:00
8/11/2015	12	Y	12	12	12/31/99 0:00
8/11/2015	0.08	N	0.04	0	12/31/99 0:00
8/11/2015	1.4	Y	1.4	1.4	12/31/99 0:00
8/11/2015	1.3	Y	1.3	1.3	12/31/99 0:00
8/11/2015	2300	Y	2300	2300	12/31/99 0:00
8/11/2015	0.58	N	0.29	0	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	17000	Y	17000	17000	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	0.3	N	0.15	0	12/31/99 0:00
8/11/2015	2.8	N	1.4	0	12/31/99 0:00
8/8/2015	24	N	12	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0.52	Y	0.52	0.52	12/31/99 0:00
8/8/2015	57	Y	57	57	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	67000	Y	67000	67000	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0.15	Y	0.15	0.15	12/31/99 0:00

8/8/2015	1.6	Y	1.6	1.6	12/31/99 0:00
8/8/2015	17	N	8.5	0	12/31/99 0:00
8/8/2015	0.23	Y	0.23	0.23	12/31/99 0:00
8/8/2015	8600	Y	8600	8600	12/31/99 0:00
8/8/2015	4.3	Y	4.3	4.3	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	1.7	Y	1.7	1.7	12/31/99 0:00
8/8/2015	1.9	Y	1.9	1.9	12/31/99 0:00
8/8/2015	2200	Y	2200	2200	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	16000	Y	16000	16000	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0.3	Y	0.3	0.3	12/31/99 0:00
8/8/2015	3	N	1.5	0	12/31/99 0:00
8/11/2015	35	Y	35	35	12/31/99 0:00
8/11/2015	0.4	N	0.2	0	12/31/99 0:00
8/11/2015	0.43	Y	0.43	0.43	12/31/99 0:00
8/11/2015	65	Y	65	65	12/31/99 0:00
8/11/2015	0.15	N	0.075	0	12/31/99 0:00
8/11/2015	0.043	N	0.0215	0	12/31/99 0:00
8/11/2015	67000	Y	67000	67000	12/31/99 0:00
8/11/2015	1	N	0.5	0	12/31/99 0:00
8/11/2015	0.12	Y	0.12	0.12	12/31/99 0:00
8/11/2015	2.8	Y	2.8	2.8	12/31/99 0:00
8/11/2015	17	N	8.5	0	12/31/99 0:00
8/11/2015	0.22	Y	0.22	0.22	12/31/99 0:00
8/11/2015	8900	Y	8900	8900	12/31/99 0:00
8/11/2015	8.2	Y	8.2	8.2	12/31/99 0:00
8/11/2015	0.08	N	0.04	0	12/31/99 0:00
8/11/2015	1.2	Y	1.2	1.2	12/31/99 0:00
8/11/2015	1.2	Y	1.2	1.2	12/31/99 0:00
8/11/2015	2200	Y	2200	2200	12/31/99 0:00
8/11/2015	0.58	N	0.29	0	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	17000	Y	17000	17000	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	0.3	N	0.15	0	12/31/99 0:00
8/11/2015	2.8	N	1.4	0	12/31/99 0:00
8/8/2015	24	N	12	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0.76	Y	0.76	0.76	12/31/99 0:00
8/8/2015	60	Y	60	60	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00

8/8/2015	66000	Y	66000	66000	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0.14	Y	0.14	0.14	12/31/99 0:00
8/8/2015	1.6	Y	1.6	1.6	12/31/99 0:00
8/8/2015	17	N	8.5	0	12/31/99 0:00
8/8/2015	0.2	Y	0.2	0.2	12/31/99 0:00
8/8/2015	8400	Y	8400	8400	12/31/99 0:00
8/8/2015	1.6	Y	1.6	1.6	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	1.7	Y	1.7	1.7	12/31/99 0:00
8/8/2015	1.8	Y	1.8	1.8	12/31/99 0:00
8/8/2015	2200	Y	2200	2200	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	16000	Y	16000	16000	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0.36	Y	0.36	0.36	12/31/99 0:00
8/8/2015	3	N	1.5	0	12/31/99 0:00
8/8/2015	270	Y	270	270	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0.76	Y	0.76	0.76	12/31/99 0:00
8/8/2015	70	Y	70	70	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	51000	Y	51000	51000	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0.18	Y	0.18	0.18	12/31/99 0:00
8/8/2015	1.5	Y	1.5	1.5	12/31/99 0:00
8/8/2015	150	Y	150	150	12/31/99 0:00
8/8/2015	0.36	Y	0.36	0.36	12/31/99 0:00
8/8/2015	6500	Y	6500	6500	12/31/99 0:00
8/8/2015	3.5	Y	3.5	3.5	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	1.8	Y	1.8	1.8	12/31/99 0:00
8/8/2015	1.5	Y	1.5	1.5	12/31/99 0:00
8/8/2015	2500	Y	2500	2500	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	19000	Y	19000	19000	12/31/99 0:00
8/8/2015	0.15	Y	0.15	0.15	12/31/99 0:00
8/8/2015	0.68	Y	0.68	0.68	12/31/99 0:00
8/8/2015	3	N	1.5	0	12/31/99 0:00
8/11/2015	24	N	12	0	12/31/99 0:00
8/11/2015	0.4	N	0.2	0	12/31/99 0:00
8/11/2015	0.91	Y	0.91	0.91	12/31/99 0:00

8/11/2015	76	Y	76	76	12/31/99 0:00
8/11/2015	0.15	N	0.075	0	12/31/99 0:00
8/11/2015	0.043	N	0.0215	0	12/31/99 0:00
8/11/2015	59000	Y	59000	59000	12/31/99 0:00
8/11/2015	1	N	0.5	0	12/31/99 0:00
8/11/2015	0.13	Y	0.13	0.13	12/31/99 0:00
8/11/2015	3.1	Y	3.1	3.1	12/31/99 0:00
8/11/2015	17	N	8.5	0	12/31/99 0:00
8/11/2015	0.06	N	0.03	0	12/31/99 0:00
8/11/2015	7900	Y	7900	7900	12/31/99 0:00
8/11/2015	3.2	Y	3.2	3.2	12/31/99 0:00
8/11/2015	0.08	N	0.04	0	12/31/99 0:00
8/11/2015	1.3	Y	1.3	1.3	12/31/99 0:00
8/11/2015	1.3	Y	1.3	1.3	12/31/99 0:00
8/11/2015	2500	Y	2500	2500	12/31/99 0:00
8/11/2015	0.58	N	0.29	0	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	21000	Y	21000	21000	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	0.73	Y	0.73	0.73	12/31/99 0:00
8/11/2015	30	Y	30	30	12/31/99 0:00
8/11/2015	24	N	12	0	12/31/99 0:00
8/11/2015	0.4	N	0.2	0	12/31/99 0:00
8/11/2015	0.46	Y	0.46	0.46	12/31/99 0:00
8/11/2015	78	Y	78	78	12/31/99 0:00
8/11/2015	0.15	N	0.075	0	12/31/99 0:00
8/11/2015	0.043	N	0.0215	0	12/31/99 0:00
8/11/2015	59000	Y	59000	59000	12/31/99 0:00
8/11/2015	1	N	0.5	0	12/31/99 0:00
8/11/2015	0.13	Y	0.13	0.13	12/31/99 0:00
8/11/2015	2.1	Y	2.1	2.1	12/31/99 0:00
8/11/2015	17	N	8.5	0	12/31/99 0:00
8/11/2015	0.06	N	0.03	0	12/31/99 0:00
8/11/2015	7800	Y	7800	7800	12/31/99 0:00
8/11/2015	4.5	Y	4.5	4.5	12/31/99 0:00
8/11/2015	0.08	N	0.04	0	12/31/99 0:00
8/11/2015	1.3	Y	1.3	1.3	12/31/99 0:00
8/11/2015	1.2	Y	1.2	1.2	12/31/99 0:00
8/11/2015	2400	Y	2400	2400	12/31/99 0:00
8/11/2015	0.58	N	0.29	0	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	21000	Y	21000	21000	12/31/99 0:00
8/11/2015	0.1	N	0.05	0	12/31/99 0:00
8/11/2015	0.71	Y	0.71	0.71	12/31/99 0:00
8/11/2015	35	Y	35	35	12/31/99 0:00

8/8/2015	390	Y	390	390	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0.76	Y	0.76	0.76	12/31/99 0:00
8/8/2015	81	Y	81	81	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	52000	Y	52000	52000	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0.23	Y	0.23	0.23	12/31/99 0:00
8/8/2015	1.7	Y	1.7	1.7	12/31/99 0:00
8/8/2015	220	Y	220	220	12/31/99 0:00
8/8/2015	0.5	Y	0.5	0.5	12/31/99 0:00
8/8/2015	6600	Y	6600	6600	12/31/99 0:00
8/8/2015	20	Y	20	20	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	1.8	Y	1.8	1.8	12/31/99 0:00
8/8/2015	1.8	Y	1.8	1.8	12/31/99 0:00
8/8/2015	2500	Y	2500	2500	12/31/99 0:00
8/8/2015	1	N	0.5	0	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	20000	Y	20000	20000	12/31/99 0:00
8/8/2015	0	N	0	0	12/31/99 0:00
8/8/2015	0.73	Y	0.73	0.73	12/31/99 0:00
8/8/2015	3	N	1.5	0	12/31/99 0:00

date (All)
 Matrix Type (All)
 QC Type (All)
 Type D


Average of ND = 1/2		Column Labels					
Row Labels	Bakers Bridge	GKM01	GKM02	GKM04	GKM05	GKM09	
Aluminum	45	66	72	34	46	35000	
Antimony	0.25	0.2	0.2	0.2	0.2	0.5	
Arsenic	0.25	0.185	0.4	0.185	0.185	3.7	
Barium	28.3	43	30	45	42	8.9	
Beryllium	1	0.075	0.075	0.075	0.075	11	
Cadmium	0.344	0.054	0.53	0.19	0.11	65	
Calcium	35200	60000	43000	64000	60000	380000	
Chromium	0.5	0.5	0.5	0.5	0.5	2.7	
Cobalt	1.73	0.2	1.8	0.41	0.37	110	
Copper	2.44	2.5	3	1.9	1.4	6000	
Iron	50	8.5	8.5	8.5	8.5	120000	
Lead	0.05	0.32	0.16	0.38	0.083	32	
Magnesium	4380	7800	4500	7900	7500	33000	
Manganese	444	61	420	130	97	33000	
Mercury		0.04	0.04	0.04	0.04		
Molybdenum	0.5	0.94	0.61	0.97	0.81	0.84	
Nickel	0.25	1	1.9	1.4	1.3	72	
Potassium	687	2100	770	2200	2000	2700	
Selenium	0.5	0.29	0.29	0.29	0.29	0.85	
Silver	0.25	0.05	0.05	0.05	0.05	0.05	
Sodium	2170	10000	2200	11000	10000	3900	
Thallium	0.25	0.05	0.05	0.05	0.05	0.32	
Vanadium	1	0.15	0.15	0.15	0.15	2	
Zinc	30.75	9.7	120	60	31	25000	

GKM11	GKM13	Aztec Water Intake	Farmington Water Intake	ADW-010	ADW-021	ADW-022	ADWS-ARP
10		41		44	51	36	12
0.25		0.035		0.035	0.2	0.2	0
0.25		0.5		0.6	0.185	0.185	0.58
38.1		75		69.8	62	62	70
1		0.01		0.01	0.075	0.075	0
2.93		0.03		0.02	0.0215	0.0215	0
48900		59100		62000	60000	61000	65000
0.5		3.6		3.5	0.5	0.5	0.5
4.79		0.1		0.2	0.13	0.12	0
2.91		1.4		1.4	3	2.7	2.9
50		1.5		1.5	20	8.5	8.5
0.05		0.06		0.05	0.61	0.18	0.38
5040		9160		9580	8700	8900	8900
1620		29		36	19	13	19
	0.04	0.07		0.03	0.04	0.04	0
0.5		1.2		1.2	1.2	1.2	1.1
2.97	58	2.2		2.1	1.9	1.2	1.3
1370	2300	2330		2540	2300	2300	2300
0.5	0.29	0.6		0.7	0.29	0.29	0.29
0.25	0.05	0.015		0.015	0.05	0.05	0
3290	120000	16000		19800	15000	14000	13000
0.25	0.25	0.1		0.1	0.05	0.05	0
1	0.15	1.2		1.4	0.15	0.15	0
804		26		27	5.4	4.6	75

ADWS-IT1	ADWS-IT2	NSW-020	NSW-ARI	FW-012	FWS-ARP2	MW-020	MWSS-ARI	FW-040	FWS-FDPS
12	12	38	12	34	12	41	12	35	12
0	0	0.2	0	0.2	0	0.2	0	0.2	0
0	0.5	0.38	0.62	0.185	0.38	0.185	0.52	0.43	0.76
50	55	65	52	64	56	62	57	65	60
0	0	0.075	0	0.075	0	0.075	0	0.075	0
0	0	0.0215	0	0.0215	0	0.0215	0	0.0215	0
60000	57000	62000	58000	66000	66000	64000	67000	67000	66000
0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
0	0	0.12	0.12	0.06	0.12	0.06	0.15	0.12	0.14
1.4	1.6	2.8	1.5	2.6	1.4	2.7	1.6	2.8	1.6
8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
0.15	0.25	0.14	0.15	0.13	0.14	0.21	0.23	0.22	0.2
8100	7800	8800	7900	8800	8300	8900	8600	8900	8400
3	5.6	11	5.4	14	1.7	12	4.3	8.2	1.6
0	0	0.04	0	0.04	0	0.04	0	0.04	0
1.3	1.2	1.1	1.3	1.1	1.7	1.4	1.7	1.2	1.7
1.2	1.3	1.6	1.3	1	1.4	1.3	1.9	1.2	1.8
2100	2300	2300	2200	2200	2200	2300	2200	2200	2200
0.5	0.5	0.29	0.5	0.29	0.5	0.29	0.5	0.29	0.5
0	0	0.05	0	0.05	0	0.05	0	0.05	0
13000	13000	13000	12000	16000	16000	17000	16000	17000	16000
0.15	0	0.05	0	0.05	0	0.05	0	0.05	0
0	0.41	0.15	0	0.15	0.37	0.15	0.3	0.15	0.36
1.5	1.5	3	1.5	5.2	1.5	1.4	1.5	1.4	1.5

LVW-WPI	LVW-020	LVW-030	LVW-FD
270	12	12	390
0	0.2	0.2	0
0.76	0.91	0.46	0.76
70	76	78	81
0	0.075	0.075	0
0	0.0215	0.0215	0
51000	59000	59000	52000
0.5	0.5	0.5	0.5
0.18	0.13	0.13	0.23
1.5	3.1	2.1	1.7
150	8.5	8.5	220
0.36	0.03	0.03	0.5
6500	7900	7800	6600
3.5	3.2	4.5	20
0	0.04	0.04	0
1.8	1.3	1.3	1.8
1.5	1.3	1.2	1.8
2500	2500	2400	2500
0.5	0.29	0.29	0.5
0	0.05	0.05	0
19000	21000	21000	20000
0.15	0.05	0.05	0
0.68	0.73	0.71	0.73
1.5	30	35	1.5

Dissolved Zinc in Surface Water



Dissolved Zinc in Surface Water

Bakers Bridge	1 8/8/2015 8/8
GKM01	2 8/13/2015 8/13
Farmington Water Intake	3 8/6/2015 8/6
GKM02	4 8/13/2015 8/13
GKM05	5 8/13/2015 8/13
GKM04	6 8/13/2015 8/13
GKM09	7 8/10/2015 8/10
GKM11	8 8/9/2015 8/9
GKM13	9 8/11/2015 8/11
ADWS-IT2	10 8/8/2015 8/8
ADW-022	11 8/11/2015 8/11
NSW-020	12 8/11/2015 8/11
NSW-ARI	13 8/8/2015 8/8
ADWS-IT1	14 8/8/2015 8/8
ADW-021	15 8/11/2015 8/11
ADW-010	16 8/11/2015 8/11
ADWS-ARP	17 8/8/2015 8/8
Aztec Water Intake	18 8/6/2015 8/6
FW-012	19 8/11/2015 8/11
FWS-ARP2	20 8/8/2015 8/8
MW-020	21 8/11/2015 8/11
MWSS-ARI	22 8/8/2015 8/8
FW-040	23 8/11/2015 8/11
FWS-FDPS	24 8/8/2015 8/8
LVW-WPI	25 8/8/2015 8/8
LVW-020	26 8/11/2015 8/11
LVW-FD	27 8/8/2015 8/8
LVW-030	28 8/11/2015 8/11